







Structural Drawing

AXE004-16A PRODUCT DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WYP	DATE	MAR/25/2016	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS




1 pass of Silver Paster
Silver Paster: Acheson 725A / Eisho SH8301C



1 pass of Carbon Paster
Carbon Paster: Acheson 423SS




2 pass full UV Dielectric Ink
UV Dielectric Ink: Acheson 452SS




AXE004-16A CIRCUIT DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WYP	DATE	MAR/25/2016	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX
ELECTRONIC INTERFACE SOLUTIONS




Overlay




Overlay Spacer



Dome Retainer



Circuit Spacer



Lower Circuit

AXE004-16A DIE-CUT DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WYP	DATE	MAR/25/2016	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS



Black

Pantone 360 C

Pantone 287 C

Pantone 876C

Pantone 877C

Transparent White

Transparent Green

AXE004-16A OVERLAY DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	WYP	DATE	MAR/24/2016	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS