










Structural Drawing


AXE004-1D PRODUCT DRAWING				REVISED VERSION	R3	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	David	DATE	2017/10/24	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS







1 pass of silver paste
silver paste: Acheson 725A



2 pass of carbon paste
carbon paste: Acheson 423SS



EL Lamp




3 pass full UV dielectric ink
UV dielectric ink: Acheson 452SS


1 pass of silver paste
silver paste: Acheson 725A
2 pass of carbon paste
carbon paste: Acheson 423SS
3 pass full UV dielectric ink
UV dielectric ink: Acheson 452SS
Keys lower Circuit Maximum loop Resistance <100 ohm

AXE004-1D CIRCUIT DRAWING				REVISED VERSION	R3	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	David	DATE	2017/10/24	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS




Overlay




Overlay Spacer



EL Lamp



Circuit Spacer



Circuit Die

AXE004-1D DIE-CUT DRAWING				REVISED VERSION	R3	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	David	DATE	2017/10/24	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS



Black	Pantone 877C
Pantone 360 C	Transparent white
Pantone 287 C	
Pantone 876C	

AXE004-1D OVERLAY DRAWING				REVISED VERSION	R3	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	David	DATE	2017/10/24	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS