










Structural Drawing

AXE004-23A PRODUCT DRAWING				REVISED VERSION	R7	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	Bong	DATE	Feb/06/2015	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX Electronics



Full view




Copper Layer1



Copper Layer2


Note : 1 FR-4 Double Sides
2 Thickness : 0.4mm
3 Gold Immersion




Schematic

AXE004-23ACIRCUIT DRAWING				REVISED VERSION	R7	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	Bong	DATE	Feb/06/2015	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX Electronics




Overlaye




Overlay Spacer



Dome Retainer



Circuit Spacer




Circuit

AXE004-23A OUT-LINE DRAWING				REVISED VERSION	R7	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	Bong	DATE	Feb/06/2015	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX Electronics

Clear LED window * 2





Matte area

Black Pantone 877 C

Pantone 360 C Pantone876C

Pantone 287 C

AXE004-23A-R1 OVERLAY DRAWING				REVISED VERSION	R7	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	Bong	DATE	Feb/06/2015	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX Electronics