







key




Structural Drawing

AXE004-34A PRODUCT DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	tang	DATE	2016-12-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS



Full View




Copper Layer1




Copper Layer2


PCB: 2 sides .
Material: FR-4, 1.0mm
Copper: 1 OZ
Finish: ENIG



Oveylay
1 pass of silver paste
silver paste: Acheson 725A/EISHO




Oveylay
1 pass of carbon paste
carbon pass: SensTouch




Schematic

AXE004-34A CIRCUIT DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	tang	DATE	2016-12-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX
ELECTRONIC INTERFACE SOLUTIONS




Overlay



Circuit Spacer



PCB



Stiffener

AXE004-34A OUT-LINE DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	tang	DATE	2016-12-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS



Black

Pantone 286C

Pantone 877C

Pantone 876C

AXE004-34A OVERLAY DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	tang	DATE	2016-12-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS