






Structural Drawing


AXE004-43A PRODUCT DRAWING				REVISED VERSION	R2	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	Rick	DATE	2019-08-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 3	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS




Full View

PCB: thickness 1.0mm,2side 1OZ
Cu,Plated gold




Copper Layer1

D1:FSL-1608020W-T10NYSZ/T*1
D2:APG1608SYKC/T*1
D3:APG1608QBC/D*1
D4:APT1608ZGC/G*1
D5:APG1608SURKC/T*1




Copper Layer2





SCHEMATIC

AXE004-43A CIRCUIT DRAWING				REVISED VERSION	R2	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	Rick	DATE	2019-08-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	2 OF 3	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS











NOTES:
1.Operation cycle: One million
2.Material: Silicon,55±5° Shore A
3.Mold color: Transparent Black
4.Top Side:Print Opaque White Text,PU Coating
5.Bottom Side:Spray Black, Laser Etch to Deadfront Black Windows *5

AXE004-43A RUBBER DRAWING				REVISED VERSION	R2	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	Rick	DATE	2019-08-14	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 3	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS