






Structural Drawing


AXE004-48A PRODUCT DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.4MM .XX ±0.25MM .XXX ±0.15MM ANGLES ± 1°
DESIGN	WEI	DATE	2024-4-26	SCALE	1:1		
CHECK		DATE		CUST.P/N	Metal Capacitive Touch Samples		
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS




Lower Circuit


RED LED:APG1608SURKC/T



1.SIVER (TOP)
913W3




2.CARBON (TOP)
423SS




3.UV (TOP)
452SS

AXE004-48A CIRCUIT DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.4MM .XX ±0.25MM .XXX ±0.15MM ANGLES ± 1°
DESIGN	WEI	DATE	2024-4-26	SCALE	1:1		
CHECK		DATE		CUST.P/N	Metal Capacitive Touch Samples		
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS




Overlay



Circuit Spacer



Lower Circuit



Back Adhesive

AXE004-48A OUT-LINE DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.4MM .XX ±0.25MM .XXX ±0.15MM ANGLES ± 1°
DESIGN	WEI	DATE	2024-4-26	SCALE	1:1		
CHECK		DATE		CUST.P/N	Metal Capacitive Touch Samples		
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS





Black

Stainless steel color

Pantone 360 C

Pantone137C

UV Translucent white

Matte area

AXE004-48A OVERLAY DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	WEI	DATE	2024-4-26	SCALE	1:1		
CHECK		DATE		CUST.P/N	Metal Capacitive Touch Samples		
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX
ELECTRONIC INTERFACE SOLUTIONS