







Structural Drawing

AXE004-50B PRODUCT DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WEI	DATE	2022/06/01	SCALE	1:1		
CHECK		DATE		CUST.P/N	PETCircuit+ACF+PETtail		
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS




Composite view



1.SV4 Stab(TOP)




2.SIVER(TOP)




PET Tail/0.125mm:

1. 1 pass of silver paste: Paron 913W3
2. 1 pass of carbon paste: Acheson 423SS
3. 2pass full UV dielectric ink: Acheson 452SS




3.SIVER(BOT)




4.ESD:SILVER(BOT)

AXE004-50B CIRCUIT DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WEI	DATE	2022/06/01	SCALE	1:1		
CHECK		DATE		CUST.P/N	PETCircuit+ACF+PETtail		
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS




Overlay



Overlay Spacer



Lower Circuit



Single side adhesive

AXE004-50B OUT-LINE DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WEI	DATE	2022/06/01	SCALE	1:1		
CHECK		DATE		CUST.P/N	PETCircuit+ACF+PETtail		
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS





Texture area

Black

Pantone 877C

Pantone 287 C

Pantone 876C

Window

AXE004-50B OVERLAY DRAWING				REVISED VERSION	R0	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	WEI	DATE	2022/06/01	SCALE	1:1		
CHECK		DATE		CUST.P/N	PETCircuit+ACF+PETtail		
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS