







Qty=1
LED Window
SCALE 1:1




Qty=2
Pillow Emboss
SCALE 1:1





Structure Drawing

AXE004-52A PRODUCT DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.4MM .XX ±0.25MM .XXX ±0.15MM ANGLES ± 1°
DESIGN	WEI	DATE	2022-12-16	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS







Composite view

Copper Layer 1

Copper Layer 2


PCB: Thickness 1.6mm,2side 1OZ Cu

DOME :

SW1~SW2:SG06280N


LED:

Red (APG1608SURKC/T): D1




AXE004-52A CIRCUIT DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.4MM .XX ±0.25MM .XXX ±0.15MM ANGLES ± 1°
DESIGN	WEI	DATE	2022-12-16	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS



Overlay



Circuit Spacer



Lower Circuit

AXE004-52A OUT-LINE DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCES OUTLINE .X ±0.4MM .XX ±0.25MM .XXX ±0.15MM ANGLES ± 1°
DESIGN	WEI	DATE	2022-12-16	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS





Texture area

Black

White C

Pantone 287 C

Clear Window

AXE004-52A OVERLAY DRAWING				REVISED VERSION	R1	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM . XX ±0.35MM . XXX ±0.25MM ANGLES ± 1
DESIGN	WEI	DATE	2022/12/16	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVEDBY		DATE		SHEET:	4 OF 4	DONOTSCALETHISDOCUMENT	

ALMAX
ELECTRONIC INTERFACE SOLUTIONS