






AXE004-69A PRODUCT DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WYP	DATE	2025-12-23	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	1 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS


LED









Main



Composite view




Copper Layer 1



Copper Layer 2


FPC: thickness 0.188mm,2side 0.5OZ Cu,ENIG RA



1. 1 pass of silver paste: CI-1096
2. 2 pass Jump Insulation: 452SS
3. 1 pass of Jumper silver paste: CI-1096
4. Keys lower Circuit Maximum loop Resistance <300 ohm


AXE004-69A CIRCUIT DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]
DESIGN	WYP	DATE	2025-12-23	SCALE	1:1	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
CHECK		DATE		CUST.P/N		
APPROVED BY		DATE		SHEET:	2 OF 4	DO NOT SCALE THIS DOCUMENT


ALMAX ELECTRONIC INTERFACE SOLUTIONS




AXE004-69A CIRCUIT DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WYP	DATE	2025-12-23	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	3 OF 4	DO NOT SCALE THIS DOCUMENT	


ALMAX ELECTRONIC INTERFACE SOLUTIONS








PCB



ADHESIVE



TPU

AXE004-69A OUT-LINE DRAWING				REVISED VERSION	R4	UNIT: [MM AND INCH]	TOLERANCERS OUTLINE .X ±0.5MM .XX ±0.35MM .XXX ±0.25MM ANGLES ± 1°
DESIGN	WYP	DATE	2025-12-23	SCALE	1:1		
CHECK		DATE		CUST.P/N			
APPROVED BY		DATE		SHEET:	4 OF 4	DO NOT SCALE THIS DOCUMENT	

ALMAX ELECTRONIC INTERFACE SOLUTIONS